

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	504	(modular or logical) near2 gateway	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:00
L2	7	L1 and hub near spoke\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:00
L3	1	L2 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:00
L4	4054	hub near spoke\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:00
L5	28	L4 with gateway\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:00
L6	15	L5 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:00
L7	145	L4 and gateway\$1 same (subnetwork\$1 or subnet\$1 or bus\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:00
L8	107	L7 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:00
L9	5	(L3 L6 L8) and @pd>"20080603"	US-PGPUB; USPAT	OR	OFF	2009/04/03 16:00
L10	2240	gateway\$1 with (subnetwork \$1 or subnet\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:00

L11	136	L10 with (conver\$5 or translat\$4 or transcod\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:00
L12	91	L11 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:00
L13	66	L11 with (protocol\$1 or format\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:00
L14	48	L13 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:00
L15	7	(L9 L12 L14) and @pd> "20081209"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:00
L16	739	(modular or logical) near3 gateway	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L17	76	L16 with protocol\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L18	45	L17 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L19	74	modular near gateway\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L20	5	L19 with (protocol\$1 or subnet\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01

L21	2	L20 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L22	121	modular near2 gateway\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L23	6	L22 with (protocol\$1 or subnet\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L24	2	L23 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L25	403	logical near2 gateway\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L26	43	L25 with (protocol\$1 or subnet\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L27	29	L26 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L28	131	gateway\$1 near (collection \$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L29	57	L28 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L30	123	gateway\$1 near (collection)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01

L31	56	L30 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L32	20	L30 same protocol\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L33	11	L32 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L34	470	gateway with middleware	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L35	95	L34 and ((hub near spoke) or broker)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L36	74	L35 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L37	25	L34 and ("point to point" or "point-to-point")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L38	15	L37 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L39	5	(L18 L21 L24 L27 L29 L31 L33 L36 L38) and @pd> "20081209"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:01
L40	6	vehicle same (modular near2 gateway\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:04

L41	3	L40 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 16:04
S1	23	(subnet\$1 with (rout\$3 or gateway)) same (automobile or vehicle or car)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 18:21
S2	5	S1 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 18:22
S3	1197	709/249.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 18:20
S4	3087	709/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 18:20
S5	146	S3 and S4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 18:20
S6	7	S5 and (automobile or vehicle or car)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 18:21
S7	7	S6 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 18:38
S8	135	S5 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 18:39
S10	1014	S3 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 18:40

S11	2489	S4 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 18:41
S12	162	(modular or logical) near gateway	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 18:41
S13	1	S12 with (subnet\$4 or bus)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 18:41
S14	560	(modular or logical) near3 gateway	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 18:41
S15	14	S14 with (subnet\$4 or bus)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 18:41
S16	7	S15 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 18:41
S17	1221	709/249.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 12:54
S18	3180	709/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 12:54
S19	149	S17 and S18	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 12:54
S20	7	S19 and (automobile or vehicle or car)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 12:54

S21	7	S20 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 12:54
S22	137	S19 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 12:54
S23	582	(modular or logical) near3 gateway	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 12:54
S24	14	S23 with (subnet\$4 or bus)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 12:54
S25	7	S24 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 12:54
S26	2	(S21 S22 S25) and @pd> "20070622"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 12:54
S27	62	modular near gateway	US-PGPUB; USPAT	OR	OFF	2008/06/03 12:51
S28	49	S27 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/03 12:52
S29	0	"modular near gateway"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/03 12:53
S30	63	"modular gateway"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/03 12:53
S31	49	S28 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/03 12:54

S32	446	(modular or logical) near2 gateway	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/03 13:03
S33	2	S32 with subnets	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/03 13:03
S34	7	S32 and hub near spoke\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/03 13:05
S35	1	S34 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/03 13:05
S36	3693	hub near spoke\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/03 13:06
S37	28	S36 with gateway\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/03 13:06
S38	15	S37 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/03 13:06
S39	1	S36 same gateway\$1 same (subnetwork\$1 or subnet\$1 or bus\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/03 13:07
S40	139	S36 and gateway\$1 same (subnetwork\$1 or subnet\$1 or bus\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/03 13:08
S41	102	S40 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/03 13:08

S42	1352	709/249.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 10:38
S43	3648	709/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 10:38
S44	169	S42 and S43	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 10:38
S45	8	S44 and (automobile or vehicle or car)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 10:38
S46	8	S45 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 10:38
S47	151	S44 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 10:38
S48	667	(modular or logical) near3 gateway	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 10:38
S49	15	S48 with (subnet\$4 or bus)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 10:38
S50	8	S49 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 10:38
S51	17	(S46 S47 S50) and @pd> "20070622"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 10:38
S52	15	S51 and @pd> "20070828"	US-PGPUB; USPAT	OR	OFF	2008/07/25 10:38

S53	1384	709/249.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:27
S54	3798	709/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:27
S55	174	S53 and S54	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:27
S56	8	S55 and (automobile or vehicle or car)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:27
S57	8	S56 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:27
S58	152	S55 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:27
S59	689	(modular or logical) near3 gateway	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:27
S60	15	S59 with (subnet\$4 or bus)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:27
S61	8	S60 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:27
S62	18	(S57 S58 S61) and @pd> "20070622"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:27
S63	1	S62 and @pd> "20080725"	US-PGPUB; USPAT	OR	OFF	2008/10/31 09:27

S64	470	(modular or logical) near2 gateway	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:30
S65	7	S64 and hub near spoke\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:30
S66	1	S65 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:30
S67	3881	hub near spoke\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:30
S68	28	S67 with gateway\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:30
S69	15	S68 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:30
S70	144	S67 and gateway\$1 same (subnetwork\$1 or subnet\$1 or bus\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:30
S71	106	S70 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 09:30
S72	4	(S66 S69 S71) and @pd> "20080603"	US-PGPUB; USPAT	OR	OFF	2008/10/31 09:30
S73	1	"20060130049".pn.	US-PGPUB; USPAT	OR	OFF	2008/10/31 09:51
S74	474	(modular or logical) near2 gateway	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 11:07

S75	7	S74 and hub near spoke\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 11:07
S76	1	S75 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 11:07
S77	3924	hub near spoke\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 11:07
S78	28	S77 with gateway\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 11:07
S79	15	S78 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 11:07
S80	144	S77 and gateway\$1 same (subnetwork\$1 or subnet\$1 or bus\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 11:07
S81	106	S80 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 11:07
S82	4	(S76 S79 S81) and @pd> "20080603"	US-PGPUB; USPAT	OR	OFF	2008/12/09 11:07
S83	5906	gateway\$1 with (subnetwork \$1 or subnet\$1 or bus\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 11:08
S84	2116	gateway\$1 with (subnetwork \$1 or subnet\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 11:08
S85	124	S84 with (conver\$5 or transl \$4 or transcod\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 11:09

S86	1083	S84 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 11:09
S87	85	S85 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 11:10
S88	78	S85 same protocol\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 11:11
S89	57	S85 with (protocol\$1 or format\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 11:11
S90	42	S89 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 11:11
S91	0	("2006/0130049").URFN.	USPAT	OR	OFF	2008/12/18 10:42
S92	700	(modular or logical) near3 gateway	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:43
S93	67	S92 with protocol\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:44
S94	43	S93 and (@ad< "20021120" @rlad< "20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:44
S95	73	modular near gateway\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:45
S96	5	S95 with (protocol\$1 or subnet\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:46

S97	2	S96 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:46
S98	117	modular near2 gateway\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:51
S99	6	S98 with (protocol\$1 or subnet\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:51
S100	2	S99 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:51
S101	380	logical near2 gateway\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:51
S102	39	S101 with (protocol\$1 or subnet\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:52
S103	27	S102 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:52
S104	5212	gateway\$1 with (collection\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:58
S105	105	gateway\$1 near (collection \$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:58
S106	55	S105 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:58

S107	97	gateway\$1 near (collection)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:59
S108	54	S107 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 10:59
S109	19	S107 same protocol\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:00
S110	11	S109 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:00
S111	2	blair.xa. and jannu.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:02
S112	444	gateway with middleware	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:04
S113	166	S112 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:04
S114	95	S112 and ((hub near spoke) or broker)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:05
S115	74	S114 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:05
S116	25	S112 and ("point to point" or "point-to-point")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:09

S117	15	S116 and (@ad<"20021120" @rlad<"20021120")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:09
S118	28	("20010014910" "20010049702" "20030037174" "20030163585" "20040122892" "20040221292" "5680551" "5764750" "5790809" "5987497" "6381644" "6721779" "6738975" "6772413" "6782540" "6868441" "6877023" "6904598" "6910216" "6922685" "6948174" "6954799" "6956865" "6978461" "7010609" "7051334").PN. OR ("7216181").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/18 11:15
S119	21	("20010014910" "20010049702" "20030037174" "20040122892" "20040131082" "6381644" "6721779" "6738975" "6772413" "6775680" "6782540" "6826560" "6877023" "6898791" "6904598" "6910216" "6912719" "6915523" "6922685" "6948174" "7072985").PN. OR ("7152094").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/18 11:36
S120	7	S119 not S118	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/18 11:37
S121	826	(protocol\$1 with (translat\$4 or conver\$4)) same ("point to point" or "point-to-point")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:46
S122	826	S121 and pd<"19980101"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:46
S123	20	S121 and @pd<"19980101"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:47

SI24	53799	(protocol\$1 with (translat\$4 or conver\$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:49
SI25	52384	SI24 not middleware	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:49
SI26	3369	SI25 and @pd< "19970101"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:49
SI27	123	((multiple or many) near protocols) with (translat\$4 or conver\$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:50
SI28	5334	SI25 and @pd< "19990101"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:50
SI29	8	SI27 and @pd< "19990101"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 11:51

4/ 3/ 09 5:22:27 PM

C:\Documents and Settings\dblair\My Documents\EAST\workspaces\10535486.wsp